

	<b>CÓDIGO E&amp;E / TSM</b>	<b>DATO TÉCNICO</b>	<b>MEDIDAS</b>	<b>NUMERO DE PARTE</b>	<b>MODELO DE PIEZA</b>
<b>L E T R A  . . .</b>	TSM-TW-0575	INTERNATIONAL MAXXFORCE BITURBO /DAF TRUCK MX300	IND: 87.40 mm EXD: 78.10 mm 10 ÁLABES	1853-710-0500	B3
	TSM-TW-0636	MAXX FORCE, PERKINS, DEUTZ Y MAS	IND: 69.60 mm EXD: 55.90 mm 10 ÁLABES	2674A256	B2            B2G
	TSM-TW-0679	POWER STROKE 6.4 BITURBO DE CARTUCHO CHICO	IND: 70 mm EXD: 62.60 mm	1270-120-5001 176013	B2 B2V V2S
	TSM-TW-0747	INTERNATIONAL MAXXFORCE 7 V134	IND: 63 mm EXD: 56.40 mm	176180 177539	B2UV
	TSM-TW-0758- 1	CATERPILLAR DETROIT DDC-MTU	IND: 99.20 mm EXD: 87.90 mm	451491-0016 448953-0003 471084-0006	BTL7510 BTV7506
	TSM-TW-0765	PERKINS O INTERNATIONAL / MAXXFORCE DT466- I1334 BITURBO	IND: 58.00 mm EXD: 50.80 mm 10 ALABES	115598800047 1882868C1 179322	B1G
	TSM-TW-0838	NISSAN URVAN NV-350 / CARAVAN / 2.5 DCI; BILLET	IND: 40.00 mm EXD: 35.60 mm	5303-970-0341 14411-3XN1A 14411-X3XN2A 5303-970-0373	BV40 BV45

**(B)**

TSM-TW-0927	DETROIT S60 DD13 / DD15 MERCEDES BENZ OM 470LA-EURO 6 OM471LA	IND: 87.4 mm EXD: 70.85 mm 10 ALABES	1383-970-0003 1387-970-0108	B3G
TSM-TW-1008	MERCEDES BENZ OM471LA	IND.87.40 mm EXD. 70.85 mm	1387 970 0101	B3G
TSM-TW-TSM-002	OM460LA M.B	IND: 90 mm EXD: 71.85 mm	1387 988 0018 1387 971 0018 1387 972 0018	B3G
TW-TSM-BHT3C	N14 MECANICO MAQUINADA			BHT3C

L  
E  
T  
R  
A  
.  
.  
.  
(C)


TSM-TW-0608	JOHN DEERE / CZ-MMZ	IND: 60.3~67 mm EXD: 51.3 mm	399-0015-505	C15-505
-------------	---------------------	---------------------------------	--------------	---------

TSM-TW-0036	NISSAN URVAN 3.0 ZD30D	IND: 39.90 mm EXD: 44.20 mm	704580-0003	GT1852V GT1549S
TSM-TW-0051	TRAFIC / SAAB Y MAS	IND: 41.20 mm EXD: 35 mm	433165-0001	GT1549S
TSM-TW-0062	JETTA BEETLE 1.9 TDI	IND: 43 mm EXD: 36 mm	454158-0001 701854-0003	GT1549V GT1749V
TSM-TW-0087	ISUZU ELF	IND: 53.80 mm EXD: 47 mm 9 ALABES	435737-0003 435737-0010	GT2560S GT25C

TSM-TW-0092	VW NISSAN	IND: 47 mm EXD: 38.60 mm	434883-0001 454135-0001	GT2052V
TSM-TW-0107	PERKINS CATERPILLAR VARIOS	IND: 47 mm EXD: 40 mm	434715-0013	GT2052 GT2052S
TSM-TW-0123	CATERPILLAR / PERKINS VARIOS	IND: 54 mm EXD: 45.90 mm	434717-0013 711736-0001	GT2556S
TSM-TW-0173	HKS 2835 PERFORMANCE	IND: 56.5 mm EXD: 51.70 mm 10 ALABES SHAFT LENGTH: 112 mm	700382-0003	GT3071R
TSM-TW-0208- 1	NAVISTAR NGD VASTAGO LARGO PIÑA GRANDE	IND: 72.60 mm EXD: 66.32 mm	434328-0005	GT3782
TSM-TW-0237	IVECO / HINO / JCB	IND: 50.3mm EXD: 42.65mm 9 ALABES	434716-0001	GT2259S
TSM-TW-0258R	FORD POWER STROKE 7.3 CHICA	IND: 76.50 mm EXD: 67.80 mm 10 ÁLABES	445604-0601	GTP38R
TSM-TW-0258- 1R	NAV. POWER STROKE 7.3 GRANDE	IND: 76.50 mm EXD: 69.85 mm 10 ÁLABES	445604-0010	GTP38R
TSM-TW-0289	NAVISTAR NGD DT466/530E VASTAGO LARGO PIÑA GRANDE	IND: 76.20 mm EXD: 67.70 mm	434328-0005	GT3782S GT4082

TSM-TW-0295	AUDI / SEAT / VW TDI EUROVAN BORA	IND: 41 mm EXD: 34 mm	751851-0001	GT1646V
TSM-TW-0308	NAVISTAR NGD DT466/530E VASTAGO CORTO PIÑA CHICA	IND: 64.10 mm EXD: 72.6 mm 10 ÁLABES SHAFT LENGTH: 88mm	728444-0001	GT3782 GTA4082
TSM-TW-0310	CATERPILLAR C-15 3406E 14.6L Y MAS	IND: 84 mm EXD: 93 mm 10 ÁLABES	702892-0001	GTA4702BS
TSM-TW-0321	DETROIT DIESEL CORTA DD4 S.60	IND: 82 mm EXD: 75.15 mm	714470-0001 702284-0001	GTA4294
TSM-TW-0321- 1	CATERPILLAR C12	IND: 82 mm EXD: 75.15 mm 10 ÁLABES	709310-0001	GTA4294
TSM-TW-0326	HYUNDAI H100 2.5 REDILAS Y MAS	IND: 44.20 mm EXD: 37.35 mm	434714-0021	GT1749S
TSM-TW-0339	FORD TRANSIT 2.2 AUDI A3 / VW 2.0 TDI	IND: 43 mm EXD: 38 mm	753546-0014 753546-0023 796017-0008	GTB1749VK GTB1749MV
TSM-TW-0375	POWER STROKE 6.0 / FORD SUPER DUTY / ECOLINE	IND: 72.60 mm EXD: 66.50 mm	717079-0030	GT3782VAS
TSM-TW-0381	DETROIT DIESEL SERIE 60 DDCV 14.0L	IND: 84 mm EXD: 78.75 mm	705080-0015 758160-0006	GTA4502V
TSM-TW-0393	VW TOUAREG /AUDI A4 / A5/Q5 3.0 TDI	IND: 50 mm EXD:45 mm 9 ÁLABES		GTB2260VK

TSM-TW-0426	VASTAGO LARGO NDG/ PIÑA CHICA/ NAVISTAR	IND: 72.60 mm EXD: 64.10 mm	434461-0003	GT3782S
TSM-TW-0427	CATERPILLAR C18 INDUSTRIAL 3516 / 3512B	IND: 111.50mm EXD: 101.60mm 11 ÁLABES FLECHA CORTA 120mm	451941-0005 449236-0001 466725-0005	GTA5518BS BTL8501
TSM-TW-0447	TRANSPORTER / AMAROK 2.0L TDI	IND: 39 mm EXD: 35.80 mm	783248-0003 803955-0005 821866-0001	GTB1449VZ
TSM-TW-0499	VOLVO BUS D12	IND : 87 mm EXD: 77.80 mm 10 ÁLABES FLECHA CORTA 97mm	763590-0003 767590-0007 709197-0005	GT4594
TSM-TW-0533	BMW X6 /BMW 500i GT GIRO DERECHO	IND: 50 mm EXD: 44.15 mm	769155-0011	MGT2256S
TSM-TW-0541- 1	CAT C23 / C18 ENFRIADO POR AGUA	IND:112.00 mm EXD: 102.10 mm 10 ÁLABES FLECHA CORTA 120mm	296-7635 757473-0007 757473-0008 751286-0021	GTA5518
TSM-TW-0600	CHEVROLET CRUZE BUICK ENCORE Y MÁS 1.4	IND: 39 mm EXD: 33.10 mm		MGT1446MZGL
TSM-TW-0615	POWER 6.0 CHICA	IND: 72.60 mm EXD: 64.00 mm	717079-0049	GT3782VAS
TSM-TW-0734	GOLF, VENTO, VW	IND: 35.60 mm EXD: 31.15 mm		GTD1244MVZ
TSM-TW-0757	CATERPILLAR / DOOSAN	IND : 87.00 mm EXD: 80.20 mm 12 ÁLABES	729838-0002 826098-0003 762548-0004	GTA4502
TSM-TW-0771	HINO TRUCK DUTRO N04C, S05C, EURO 4	IND: 50 mm EXD: 45.80 mm	7791144-0019 779144-0021 779144-0023	GT2263KLVN

TSM-TW-0775	NAVISTAR FORD VT365	IND:60 mm EXD: 66.10 mm	714812-0011 734852-0003	GT3571VA
TSM-TW-0849- 1	AUDI Q7 / FORD V6 RANGER	IND: 47 mm EXD: 43.10 mm	839077-0002 839077-0009	GTD2060VZK
TSM-TW-0852	CATERPILLAR 3508B, 3516B	IND:98.10 mm EXD: 85.80 mm	745193-0003 740464-0009	GTB4708BLN
TSM-TW-0887	SCANIA TRUCK DC1603	IND: 93 mm EXD: 83 mm 10 ÁLABES	702892-0099	GTA4702BNS
TW-TSM- GT32-1	SET FLECHA PROPELA BALERO ANILLOS Y ESPACIADOR POWER STROKE 6.7		US6193463 US6269642	GT32
TW-TSM- GT37-2	SET FLECHA PROPELA DOBLE BALERO ANILLOS Y PORTANILLO. POWER STROKE 6.7		FALTA INFORMACION	GT32 SST3266V
TW-TSM- GT32-3	POWER STROKE 6.7 DE BUJES 2016 EN ADELANTE / F250-350 , F450-550 TRUCK SUPER DUTY	 <p>PATENTS: US6193463 US6269642 US6419464 US6672059 US6925806 US6895751 US7000392 US7305827 BUILT IN MEXICO 15240A138B079682 BC30 90438 IM</p>	N/P: US6193463 CHRA: 786646- 0013 786646-5013S 786646-0011	GT3276VJLNRU SST3266LRVA
TW-TSM-001	CATERPILLAR 3406E C- 15 14.6L Y MAS	IND: 93.00 mm EXD: 84.00 mm		GTA470201BS GTA4702BS

<b>TSM-TW-0005</b>	<b>CUMMINS / IVECO / VOLVO 850, S70</b>	<b>IND: 52.10 mm EXD: 45.65 mm</b>	<b>49189-30100</b>	<b>HX25W HX27W TD04HL</b>
<b>TSM-TW-0014</b>	<b>CUMMINS ISB SERIE B FORD DAEWOO</b>	<b>IND: 70.00 mm EXD: 60.00 mm</b>	<b>3519336</b>	<b>H1C HX35</b>
<b>TSM-TW-0017</b>	<b>CUMMINS ISC / IVECO MAN / MERCEDES / SCANIA / VOLVO</b>	<b>IND:76 mm EXD: 64 mm</b>	<b>3522879</b>	<b>H1E HX40</b>
<b>TSM-TW-0034</b>	<b>6 CTA SERIE C</b>	<b>IND: 76 mm EXD: 67 mm</b>	<b>3522880</b>	<b>H1C</b>
<b>TSM-TW-0045</b>	<b>L-10 CUMMINS / IVECO</b>	<b>IND: 86 mm EXD: 72 mm</b>	<b>3522232</b>	<b>H2C H2D H2E</b>
<b>TSM-TW-0116</b>	<b>RAM CUMMINS</b>	<b>IND: 65 mm EXD: 58 mm</b>	<b>4035271</b>	<b>HY35W HX35</b>
<b>TSM-TW-0125</b>	<b>L10- M11 PLUS CUMMINS</b>	<b>IND: 86 mm EXD: 77 mm</b>	<b>3531763</b>	<b>HX50</b>
<b>TSM-TW-0130R</b>	<b>CUMMINS 450 / 400 / HT60</b>	<b>IND: 97 mm EXD: 86.30 mm</b>	<b>3523415</b>	<b>HT3B HT60</b>
<b>TSM-TW-0166</b>	<b>CUMMINS</b>	<b>IND: 129 mm EXD: 111.60 mm 11 ÁLABES SHAFT LENGTH: 195 mm</b>	<b>3521034</b>	<b>HX80 / HX82</b>
<b>TSM-TW-0167</b>	<b>CUMMINS</b>	<b>IND: 129 mm EXD: 111.60 mm 11 ÁLABES SHAFT LENGTH: 195 mm</b>	<b>3524031</b>	<b>HC5A</b>
<b>TSM-TW-0172</b>	<b>CUMMINS / KOMATSU / FORD</b>	<b>IND: 65 mm EXD: 52 mm</b>	<b>3539805 4037979</b>	<b>HX30 4BT</b>

TSM-TW-0179	CUMMINS ISL / ISM / ISX 15	IND: 76 mm EXD: 67 mm 12 ÁLABES	3595129 4033191	HE431VE HY404
TSM-TW-0210	IVECO CURSOR 13	IND: 86.10mm EXD: 80mm X 12mm 12 ÁLABES	3599629	HE551V
TSM-TW-0210-1	CUMMINS ISX	IND: 86.10mm EXD: 75mm X 12mm 12 ÁLABES TIP: 10.7 mm	3593668	HE551V
TSM-TW-0253	CUMMINS ISX SIGNATURE/ VOLVO/SCANIA 450	IND: 86.00 mm EXD: 80.00 mm	3533543	HX55 HX55W
TSM-TW-0374-	CUMMINS/ SCANIA/ VOLVO/ YANMAR	IND: 97 mm EXD: 86.35 mm	3532198	HX60
TSM-TW-0440	IVECO TRUCK CURSOR 10	IND: 86.10 mm EXD: 77 mm X 12 mm 12 ÁLABES	4038596	HE551V
TSM-TW-0444	CUMMINS ISX2 VASTAGO GRUESO	IND: 86 mm EXD: 75 mm X 14 mm 12 ÁLABES	3769881	HE561VE
TSM-TW-0526	CUMMINS ISM M11 PLUS	IND: 86 mm EXD: 77 mm TIP:13.10 mm 12 ÁLABES	3535933 4038901	HX55 HX55W
TSM-TW-0540	PACCAR PX6 / CUMMINS EGR RAM, CUMMINS 6.7	IND: 70 mm EXD: 60 mm 12 ÁLABES	4042329 4046 837 4046836 3790481	HE351VE HE300VG
TSM-TW-0545	HE500VG, HE561VE; ISX 450 HP, ISX, ISXD7 VASTAGO DELGADO	IND: 86.10 mm EXD: 72 mm X 12 mm	3593822	HE500VG HE561VE



TSM-TW-0547	CUMMINS	IND: 129 mm EXD: 106 mm	3521032	HX80 HC5A HX82 HX83
TSM-TW-0661	VOLVO MD11, SCANIA	IND: 84.20 mm EXD: 70 mm	4038181 2841257	HX52 HE500 HX55
TSM-TW-0662	VOLVO D12	IND: 86 mm EXD: 72 mm	4038008	HX55
TSM-TW-0663	CUMMINS, SCANIA. VOLVO	IND: 84.20 mm EXD: 70 mm	3592602	HX52 HX55
TSM-TW-0682	DETROIT S.60 DD6 DE MODULO VGT	IND: 84.20 EXD: 70	4042581	HE531VE
TSM-TW-0683	CUMMINS ISX 07 DETROIT DIESEL VASTAGO GRUESO	IND: 86 mm EXD: 72 mm 12 ÁLABES	4043907 4038660 2836825	HE561VE
TSM-TW-0766	CUMMINS ISL VALV NEUMATICA / CUMMINS ISX15 X15	IND: 76 mm EXD: 67 mm 11 ÁLABES	4040880 4043879	HE431VE HE451VE
TSM-TW-0783	CUMMINS ISLE ISX 15	IND: 72 mm EXD: 67 mm	2840238 3769714	HE400VG HE451VE
TSM-TW-0783 1	CUMMINS ISX / VARIOS	IND: 72 mm EXD: 60 mm	2840924 3773561	HE400VG HE451VE
TSM-TW-0882	VOLVO MD11 / MD16 / CUMMINS ISX / ISX3 / ISX 07 VASTAGO GRUESO	IND: 81.50 mm EXD: 77 mm X 14 mm 12 ÁLABES	3770941 3770944	HE551VE

	TSM-TW-0888	CUMMINS / DODGE RAM ISB ISC / ISL / QSB / 6.7L	IND: 70 mm EXD: 60 mm 12 ÁLABES	5327046 5327048	HE300VG HE351VE
--	-------------	--	---------------------------------------	--------------------	--------------------

<b>L E T R A . . . (J)</b>	TSM-TW-0422	VW PASSAT CC TIGUAN; JETTA AUDI Q5 2.0TSI	IND: 40 mm EXD: 36-45.17 mm 8 ÁLABES	06J145701N 06J145702K 06J145701T	JH5
	TSM-TW-0626	AUDI A4 A5 A6 S4 S5 Q5 T 2.0	IND: 52.1 mm EXD: 44 mm 7 ÁLABES	06H145702L 06H145702Q	JH5
	TSM-TW-0669F	AUDI A4 / A5 IS20	IND: 50.7 mm EXD: 41.8 mm 8 ÁLABES SHAFT LENGTH: 104.5 mm	06L145702M	JH5
	TSM-TW-0969	JAC / FOTON		55X8002-002-1	JK55

	TSM-TW-0032	PEUGEOT / MINI K03 1.8 180HP	IND: 45 mm EXD: 40.30 mm	5303-120-5008	K03
	TSM-TW-0032-1	VW GOLF / JETTA / AUDI A3, A4, A6 / SEAT ALTEA / LEON TOLEDO 2.0 TFSI	IND: 45 mm EXD: 40.30 mm	5303-120-6504 5303-970-0292	K03
	TSM-TW-0035	JOHN DEERE Y MÁS	IND: 76.10 mm EXD: 68.20 mm	5327-120-2109	K27

TSM-TW-0038	AUDI / VW / PIÑA CHICA / PEUGEOT	IND: 45 mm EXD: 37.80 mm	5303-120-5013	K03
TSM-TW-0077	MERCEDES BENZ OM926	IND: 76.10 mm EXD: 66 mm	5327-970-7208 9260-964399	K27
TSM-TW-0096	VW / MWM / PEUGEOT Y MAS	IND: 50 mm EXD: 37.20 mm 12 ÁLABES SHAFT LENGTH: 107.6 mm	5314-120-2101 5314-120-2111 5314-120-5009	K14
TSM-TW-0110	AUDI / CUPRA 1.8 MERCEDES SPRINTER BITURBO	IND: 50 mm EXD: 42 mm	5304-970-0008	K04
TSM-TW-0114- 1	MERCEDES BENZ OM924	IND: 59 mm EXD: 49.55 mm	5324-120-5016	K24
TSM-TW-0139	EUROVAN JETTA 1.9 TDI	IND: 38.50 mm EXD: 37.50 mm	5439-120-5011	KP39 BV39
TSM-TW-0143	BITURBO VT275 / CF600 / MAXX FORCE	IND: 55 mm EXD: 49 mm	5316-120-2113 53016-970-6400 5316-970-6401	K16 R2S
TSM-TW-0144	M.B OM906 PIÑA GRANDE / BITURBO VT275	IND: 70 mm EXD: 62.70 mm	5327-120-5025	K27

(K)

TSM-TW-0155R	KOMATSU	IND: 103.5 mm EXD: 87.85 mm 11 ÁLABES LARGO DE FLECHA 182 mm	6505-51-3201	KTR110G
TSM-TW-0176	DEUTZ / MERCEDES BENZ	IND: 72.10 mm EXD: 81.20 mm SHAFT LENTH LARGO 139 mm 12 ÁLABES	5328-120-5003	K28
TSM-TW-0182	M.B K16 / 904 / MWM 4 CIL.	IND: 55 mm EXD: 46.10 mm	5316-970-7111	K16
TSM-TW-0192- 1	MAZDA CX7, CX9 / VOLVO / SOLSTICE	IND: 50 mm EXD: 44.50 mm	5304-120-5009	K04
TSM-TW-0284	M.B OM906LA / NORMAL OM906	IND: 70 mm EXD: 58.80 mm	5327-120-5084	K27
TSM-TW-0395	MERCEDES BENZ SPRINTER BITURBO / VW AMAROK	IND: 38.50 mm EXD: 32.30 mm	5439-970-0033 5439-120-5034 KP39-021 R2S-003-H	KP39 R2S
TSM-TW-0436	VW BORA / AUDI A3 A4 / SEAT 2.0 TFSI / MINI 1.6	IND: 45 mm EXD: 40.45 mm	5303-120-5036	K03
TSM-TW-0619	SERIE 60 DD4 12.7L BORWARNER SWCHITZER	IND:86 mm EXD:77 mm 12 ÁLABES	172254 172743174929	K31
TSM-TW-0654	ASTRA 2.0	IND: 50 mm EXD: 44.50 mm	5304-120-5018	K04
TSM-TW-0736	CRAFTER BITURBO AMAROK 2.0L TDI	IND: 34.70 mm EXD: 29.20 mm	5335-120-5018	KP35 R2S BV35

	TSM-TW-0763-1	FORD ECOBOOST / RANGE ROVER / FOCUS MONDEO 2.0T/ /FORD F150 3.5L	IND: 45 mm EXD: 40.30 mm 9 ÁLABES	5303-120-8514 5303-970-0154 5303-970-0244	K03
	TSM-TW-EGR-MB	MERCEDES BENZ 924 CON EGR			K24

<b>L E T R A . . . (R)</b>	TSM-TW-0055	NISSAN NP300 CABSTAR FRONTIER ISUZU	IND: 44.40 mm EXD: 37.60 mm	VN3 VN4	RHF4
	TSM-TW-0231	SHIBAURA N844L	IND: 46.60 mm EXD: 35.40 mm	AS11 AS12	RHF4
	TSM-TW-0625	MERCEDES BENZ E-CLASS W212	IND: 36.1~44.0 mm EXD: 35.65 mm 8 ÁLABES SHAFT LENGTH: 98 mm	110921-0252 110921-0219	RHF4
	TSM-TW-0700R	AUDI TT S3 2.0TSI VW MK7, IS38	IND: 54.9 mm EXD: 47.5 mm ( REVES ) 8 ÁLABES SHAFT LENGTH: 104.5 mm	06K145722A	JH5
	TSM-TW-0822	MERCEDES BENZ C-CLASS W205 2.0	IND: 36.3~41.1 mm EXD: 34 mm 8 ÁLABES SHAFT LENGTH: 98 mm	AL-0069 AL-0071 150318-0374 150318-0324 A2740903080	RHF4

	TSM-TW-0149	MERCEDES OM366 EN BORG WARNER.	IND: 73.70 mm EXD: 60.95 mm	166612	S2EL
	TSM-TW-0152	CATERPILLAR 3116	IND: 69.60 mm EXD: 60.40 mm	167423	S2B S2E S200

<b>TSM-TW-0153</b>	<b>CAT 3126</b>	<b>IND: 69.60 mm EXD: 60.40 mm</b>	<b>195-5994 171746</b>	<b>S200G</b>
<b>TSM-TW-0195</b>	<b>RENAULT Y MAS</b>	<b>IND: 79.80 mm EXD: 70.85 mm</b>	<b>314629</b>	<b>S300</b>
<b>TSM-TW-0198</b>	<b>JOHN DEERE</b>	<b>IND: 61 mm EXD: 52.80 mm</b>	<b>314653 313646 317251</b>	<b>S2A</b>
<b>TSM-TW-0213</b>	<b>MAXX FORCE DT465 570 NAVISTAR JOHN DEERE</b>	<b>IND: 70 mm EXD: 62.70 mm</b>	<b>173900 173795</b>	<b>S300V110 S300V111 S300V129 S300V</b>
<b>TSM-TW-0240</b>	<b>CAT 3116 / JOHN DEERE</b>	<b>IND: 74.20 mm EXD: 64.50 mm</b>	<b>167420 166321 197772 313663</b>	<b>S2B S2E</b>
<b>TSM-TW-0241</b>	<b>CATERPILLAR 3126B</b>	<b>IND: 74.20 mm EXD: 64.50 mm</b>	<b>169039 171563 172001</b>	<b>S300</b>

**L  
E  
T  
R  
A  
.  
.  
.  
(S)**

TSM-TW-0255	CAT/ DEUTZ / MAN	IND: 73.30 mm EXD: 83.50 mm	314238	<u>S3B</u>
TSM-TW-0281	CATERPILLAR TRUCK 3406	IND: 96 mm EXD: 85.20 mm 12 ALABES	189553	S4DS
TSM-TW-0313	CATERPILLAR 3306	IND: 76.20 mm EXD: 68.70 mm	166493 167167	S3B
TSM-TW-0315-	MERCEDES BENZ OM457LA	IND: 87.40 mm EXD: 77.90 mm	318938	S410
TSM-TW-0319	DEUTZ Y MAS	IND: 72.80 mm EXD: 64.40 mm 10 ÁLABES	318336	S200
TSM-TW-0488	DEUTZ Y MAS	IND: 52.80 mm EXD: 45.80 mm SHAFT LENGHT: 114 mm	317244 318166 318281	S100
TSM-TW-0497	CATERPILLAR C9	IND: 79.80 mm EXD: 73.40 mm	178479 169514	S310
TSM-TW-0511	DEUTZ / JOHN DEERE	IND: 47 mm EXD 40 mm	312880	S1B
TSM-TW-0558	MERCEDES BENZ Y MAS	EXD: 45.8 mm IND: 52.8 mm 9 ÁLABES SHAFT LENGHT: 105 mm	313699	S1B
TSM-TW-0708- 1	JHON DEERE 6081H	EXD: 67.50 mm IND: 76.2 mm	167479	S300
TSM-TW-0711	PERKINS Y MAS	EXD: 48.85 mm IND: 61 mm	314647	S2A
TSM-TW-0743	DEUTZ, VOLVO Y MAS	IND: 74.20 mm EXD: 64.67 mm	316957	S200

	<b>TSM-TW-0799</b>	<b>JOHN DEERE 6068H</b>	<b>IND: 69.6 mm EXD: 61.2 mm 10 ÁLABES SHAFT LENGTH: 146 mm</b>	<b>169779</b>	<b>S200</b>
	<b>TSM-TW-0002</b>	<b>HYUNDAI H100 VAN</b>	<b>IND: 43mm EXD: 36.23mm 11 ALABES</b>	<b>49135-30100</b>	<b>TF035HM</b>
	<b>TSM-TW-0006</b>	<b>NEW HOLLAND NISSAN</b>	<b>IND: 53 mm EXD: 46.30 mm</b>	<b>435406-0001 452129-0003</b>	<b>TB25</b>
	<b>TSM-TW-0008</b>	<b>LEBARON NEW YORK / GARRETT</b>	<b>IND: 59 mm EXD: 48.70 mm</b>	<b>451311-0003</b>	<b>TB03</b>
	<b>TSM-TW-0009</b>	<b>PERKINS / KOMATSU / VOLVO</b>	<b>IND: 65 mm EXD: 49 mm 11 ÁLABES</b>	<b>451310-0003</b>	<b>TA3107 TB34</b>
	<b>TSM-TW-0010</b>	<b>JOHN DEERE / CUMMINS / DAF</b>	<b>EXD: 53.90 mm IND: 65 mm</b>	<b>451311-0002 451314-0002</b>	<b>TA34</b>
	<b>TSM-TW-0010- 3</b>	<b>JOHN DEERE / VARIOS</b>	<b>IND: 65 mm EXD: 56.50 mm 11 ÁLABES</b>	<b>451314-003</b>	<b>TA34</b>
	<b>TSM-TW-0011</b>	<b>PERKINS / MERCEDES BENZ / FORD / JOHN DEERE</b>	<b>IND: 74.2 mm EXD: 52.65 mm 11 ALABES</b>	<b>446905-0006</b>	<b>TBP4 TW41 T0444</b>



TSM-TW-0015	NAVISTAR 175 HP / M.B 210 HP	IND: 74.20 mm EXD: 61.60 mm	446905-0003	T04E T04E66
TSM-TW-0028	mitsubishi CAT 320	IND: 67.20 mm EXD: 58.80 mm	49179-30120	TD06H
TSM-TW-0040	CATERPILLAR ISUZU	IND: 67.20 mm EXD: 58.80 mm	49185-04810	TE06H
TSM-TW-0049	VOLVO / CHRYSLER / SPIRIT	IND: 52.10 mm EXD: 44.20 mm	49183-30100	TD04H-15G TD04H-13G
TSM-TW-0050	TD04 VOLVO	IND: 40 mm EXD: 47.20 mm	49177-30130	TD04-09B
TSM-TW-0054	CUMMINS	IND: 129 mm EXD: 106.20 mm 11 ÁLABES SHAFT LENGTH: 175mm		T18A
TSM-TW-0079	LAND ROVER Y MAS	IND: 47 mm EXD: 35.50 mm 11 ÁLABES	435243-0001	TB02 T25
TSM-TW-0082	MERCEDES BENZ PERKINS FASE II FASE IV Y MAS	IND: 74.20 mm EXD: 58.30 mm	466646-0013	T04 T4 T04B58
TSM-TW-0124	VOLVO A40 TD120D/ MERCEDES BENZ 1938 TRUCK	IND: 89 mm EXD: 77.70 mm	441194-0008 714311-0001	TA51
TSM-TW-0126	STRATUS 1G 2G / VOLVO S40, V40 / SUBARU WRX FORESTER	IND: 47.20 mm EXD: 41.20 mm	49177-30300 49177-00320	TD04L
TSM-TW-0126- 1R	CHRYSLER NEON SRT 4PT REVES	IND: 47.20 mm EXD: 41.20 mm	49377-00200	TD04

**L  
E  
T  
R  
A  
.  
.  
.  
(T)**

TSM-TW-0154		IND: 61.5 mm EXD: 50.60 mm 10 ALABES		TA31
TSM-TW-0165	CAT / NAVISTAR / JOHN DEERE	IND: 74.20 mm EXD: 64.60 mm	407276-0006	T04B T04E17
TSM-TW-0193	VOLVO TWIN TURBO S80, XC90 2.8L	IND: 40.20 mm EXD: 35.10 mm	49131-05100	TD03
TSM-TW-0965	CATERPILLAR D8K 583K /D8K D8H TRACTOR	IND: 89.00 mm EXD: 77.75 mm	6N7203 465032-0001 1P1163 488110-0004	T1238 / T1227
TSM-TW-0214	WAUKESHA DOMAN CUMMINS	IND: 129 mm EXD: 111.6 mm 11 ÁLABES SHAFT LENGTH: 175 mm		T18A
TSM-TW-0219	CATERPILLAR / DOMAN DIESEL	IND: 129 mm EXD: 106.8 mm 11 ÁLABES SHAFT LENGTH: 197 mm	442208-0001	TL92 / TV91 / TV94
TSM-TW-0245FB	JOHN DEERE / CUMMINS Y MAS	IND: 65 mm EXD: 53.90 mm 10 ÁLABES		TB34
TSM-TW-0275	GARRETT S.60 DD3 12.7L	IND: 95.70 mm EXD: 86.20 mm 11 ÁLABES	466713-5001 557888-0001	TMF5502
TSM-TW-0328	RENAULT Y MAS	IND:53.0 mm EXD: 39.30 mm	435257-0003	TB25

TSM-TW-0336	CUMMINS 4BT GAZELLE ISF / CRAFTER 2.5	IND: 47 mm EXD: 41.20 mm	2842804	TD04L HE221
TSM-TW-0363	FORD / PERKINS / IVECO	IND: 65 mm EXD: 46.20 mm	466778-0005	TA03 TB03 T3
TSM-TW-0379	CATERPILLAR	IND: 111.80 mm EXD: 97.15 mm	408492-0014	TV78 TV81 TL81 TW81
TSM-TW-0409	MWM/ PERKINS / IVECO / VOLVO	IND: 65mm EXD: 49mm 11 ÁLABES SHAFT LENGTH: 134mm	451310-0006 409392-0024	TA31
TSM-TW-0532	S60 DDII 11.1 L / DAEWOO / PIÑA GRANDE	IND: 86.70 mm EXD: 79 mm	443702-0010	TV45 TV48
TSM-TW-0534R	MITSUBISHI NEON SRT4 STAGE 3	IND: 49 mm EXD: 56 mm	49178-30400	TD05HR-16G
TSM-TW-0591-1	NISSAN JUKE / TRITON / JEEP	IND: 43 mm EXD: 37.70 mm	49135-01000	TF035HL
TSM-TW-0726	JHON DEERE	IND: 71 mm EXD: 60.80 mm 10 ÁLABES	446265-0001	T350
TSM-TW-0756R	VW/SEAT/AUDI 1.4/ TFSI-REVES CHEVROLET CRUZE BUICK	IND: 37 mm EXD: 32.45 mm	49180-04020	TD03
TSM-TW-0759	CATERPILLAR	IND: 111.80 mm EXD: 87.70 mm	465095-0001 408492-0012	TL81 TV81 TW81
TSM-TW-0804	JOHN DEERE / NISSAN / VOLVO / PERKINS / FORD	IND: 61.5 mm EXD: 54.60 mm 10 ÁLABES	445812-0001	T300 TA31

L  
E  
T  
R  
A  
.  
.  
.  
(U)

TSM-TW-0648	WAUKESHA INDUSTRIAL	IND: 96.10 mm EXD: 84.00 mm	724260-0001 724260-0004	UTV71
-------------	------------------------	--------------------------------	----------------------------	-------

N  
U  
M  
E  
R  
I  
C  
A  
S

TSM-TW-0086	CATERPILLAR , NAVISTAR	IND: 80.50 mm EXD: 68.55 mm	193341	3LM
TSM-TW-0142	DEUTZ Y MAS	IND: 114.20 mm EXD: 92.70 mm	5252-970-6401	4MF
TSM-TW-0146	CATERPILLAR	IND: 91.00 mm EXD: 72 mm		4LE
TSM-TW-0184	NAVISTAR / PERKINS Y MAS	IND: 75.6 mm EXD: 61.25 mm 12 ÁLABES SHAFT LENGTH: 109 mm	156689 55791	3LD
TSM-TW-0277	CATERPILLAR	IND: 91.50 mm EXD: 78.70 mm	184432 151883	4LF-F032
TSM-TW-0525	SCANIA Y MAS	IND: 96.60 mm EXD: 86.40 mm		4LGZ
TSM-TW-0529	CATERPILLAR	IND: 112~113.2 mm EXD: 93.20 mm	159750 141019	4HD