

**PROPULSORES**  
**CATÁLOGO 2021**

CÓDIGO E&E / TSM	DATO TÉCNICO	MEDIDAS	P/N	MODELO
TSM-CW-0285	VM EUROVAN T2 / ARI / DEER ALTRA / LEON / TOLEDO L 9 300	IND: 33.50 mm EJO: 48 mm 6 ALMBES G Y C	5439-979-0022	BV03 KFD9
TSM-CW-0071	DAF TRUCK M35N / M340	IND: 67.40 mm EJO: 56.70 mm 7 ALMBES G Y C	1306-123-2002	B3G
TSM-CW-0771	INTERNATIONAL M85X / FORCE Y M85	IND: 54.70 mm EJO: 78.60 mm 7 ALMBES G Y C	1071-123-2006	B2G B2M
TSM-CW-0817	PERKINS / MAXX / FORCE Y M85	IND: 51.80 mm EJO: 78.90 mm 7 ALMBES G Y C		B2 B2G
TSM-CW-0845	MERCEDES K24 EURO / MAXX FORCE / CHICCO / BELLET	IND: 45.4 mm EJO: 48 mm 7 ALMBES G Y C	1164-123-2008	B1G
TSM-CW-0843	INTERNATIONAL MAXX / FORCE 8711220 / 7 ALMBES G Y C / 107465-124 / ALUMINO C/ATMOC	IND: 45.40 mm EJO: 48.30 mm 7 ALMBES G Y C	1164-123-2008 115370-0002 158280C1 115380047	B1G
TSM-CW-0915	MAXX FORCE / INTERNATIONAL TRUCK	IND: 47.5 mm EJO: 47.7 mm 7 ALMBES G Y C	17610 125-979-0008	B2V
TSM-CW-0945	FORD POWER / STROKE DIESEL 4.40	IND: 51.80 EXD: 74.27 ALMBES G Y C	15811, 15815, 15446, 17761, 17919, 45514, 47915	B2V25
TSM-CW-0999	DEUTZ Y M85 BELLET / T20113	IND: 50.80 EXD: 84.7 ALMBES G Y C		B2G
TSM-CW-1028	NISSAN NP2000 / CAPADAY NP1500 / FOR RUCK 2.2 DCL / BELLET	IND: 32.30 mm EJO: 46.67 mm 6 ALMBES G Y C	5303-979-0008 5303-979-0041	BV45 BV40 BV43
TSM-CW-1306	SERIE 60 D013 / D015	IND: 43.70 mm EJO: 50 mm 7 ALMBES G Y C	1363-979-0003	B3G
TSM-CW-0721	JOHN DEERE / CC-8M2	IND: 44.60 mm EJO: 48 mm	359-015-005	C15-005
TSM-CW-0028	SAMB S 5 8.3 15HP / S.E. / ARI / V9 / IVECO	IND: 38.60 mm EJO: 39 mm 6 ALMBES G Y C	438131-0002	GT392V GT192S
TSM-CW-0027	FORD NISSAN VOLVO / FENALTA / TRAFIC / 1.6 / HYUNDAI H100	IND: 34.70 mm EJO: 48 mm 6 ALMBES G Y C	438131-0003	GT1746S GT1746S GT246S
TSM-CW-0181	PERKINS 37 / FORD / RANGER PICKUP / 2.5000	IND: 37.6 mm EJO: 52 mm 6 ALMBES G Y C	451584-0002 451584-0002 451584-0002	GT392S
TSM-CW-0288	NAVISTAR N60 PLATO / GRANDE	IND: 50.20 mm EJO: 42 mm 6 ALMBES G Y C	448855-0009	GT482 GT37
TSM-CW-0209	FORD POWER T.3 / ALMBES COMPLETOS / GRANDE 89-2003	IND: 58.80 mm EJO: 89.10 mm SOLO 9 ALMBES	702014-0017	GT398
TSM-CW-0227	FORD TRANSIT 1.6 / TRACTOR / 1.6 / C/ARMAS 2.2 ENGINE	IND: 34.70 mm EJO: 46.60 mm 6 ALMBES G Y C	724503-0003	GT1746V GT1746V GT392V
TSM-CW-0270	POWER STROKE 7.3 / GRANDE / FORD 130A / F300 F SERIES 84-99	IND: 59.80 mm EJO: 88.10 mm 9 ALMBES G Y C	703807-0001	GT398
TSM-CW-0273	CAF C-15 DETROIT / DIESEL	IND: 74.70 mm EJO: 102.40 mm 6 ALMBES G Y C	451936-0001	GT447
TSM-CW-0309	NAVISTAR N60 / FLECHA CORTA	IND: 59.20 mm EJO: 48 mm 6 ALMBES G Y C	728897-0006	GT37 GT4802
TSM-CW-0319	SCANIA TRUCK	IND: 42.2 mm EJO: 48 mm 6 ALMBES G Y C	434254-0012	GT488
TSM-CW-0323	SERIE 60 D04 DE / CUDRUA 13.75 / FLECHA CORTA	IND: 78.40 mm EJO: 84.10 mm 6 ALMBES G Y C	712340-0002	GT420A
TSM-CW-0329	CAF GENERADOR SET / C15	IND: 78.50 mm EJO: 85.40 mm 6 ALMBES G Y C	794746-0009	GT447
TSM-CW-0333	MERCEDES BENZ / PERKINS	IND: 38.80 mm EJO: 39 mm 7 ALMBES G Y C	438131-0003 451936-0004 703805-0001 722824-0004	GT192V GT392S
TSM-CW-0354	CATERPILLAR / PERKINS / LAND / POWER / 1805	IND: 38.30 mm EJO: 39 mm 6 ALMBES G Y C	451584-0007 452222-0001	GT392S
TSM-CW-0388	EUROVAN GRABETT / BORAJ ARI 40 / TOLEDO L 9 300	IND: 32.60 mm EJO: 46 mm 6 ALMBES G Y C	794769-0005	GT146V
TSM-CW-0488	POWER STROKE 6.9 / GRANDE	IND: 59.2 mm EJO: 82 mm 7 ALMBES G Y C	721424-0020	GT372V46
TSM-CW-0417	DETROIT DIESEL 6.9 / DIESEL 3 ALUMINO	IND: 70.80 mm EJO: 102.4 mm 7 ALMBES G Y C	738038-0012 738038-0003	GT4802V GT4802V
TSM-CW-0417-05	DETROIT DIESEL TRUCK SERIE 69 / DIESEL BELLET	IND: 70.8 mm EJO: 102.4 mm 7 ALMBES G Y C	738038-0012 738038-0003	GT4802V
TSM-CW-0420	BMW AL VV / TOURER, ARI 07 45 / 3.5	IND: 44.60 mm EJO: 48 mm 6 ALMBES G Y C	704369-0002	GT3200VX
TSM-CW-0421	CAF / PERKINS / TRACTOR 16.40/16. / QSE E VIRIOS	IND: 37.70 mm EJO: 36 mm 6 ALMBES G Y C	438563-0003	GT2546S
TSM-CW-0426	N60 GRANDE / NAVISTAR	IND: 60.30 mm EJO: 50 mm 6 ALMBES G Y C	448855-0013	GT392
TSM-CW-0437	N60 CHICA PLATO / CHICCO	IND: 57 mm EJO: 52.3 mm 6 ALMBES G Y C	434441-0001	GT392S
TSM-CW-0442	PERKINS / CAF 416 / ARI C 14.8/1004 / VARIOS	IND: 36.10 mm EJO: 39 mm 6 ALMBES G Y C	451584-0010	GT392S
TSM-CW-0448	IVECO FAVORO / CONSTRUCCION 4.80 / 3.0	IND: 49.30 mm EJO: 39 mm 5 ALMBES G Y C	728919-0006	GT235V GT240S
TSM-CW-0489	IVECO DAILY 1.90 / EURO 4	IND: 42.5 mm EJO: 40 mm 6 ALMBES G Y C	737890-0003	GT260V
TSM-CW-0533	VOLVO BUS D120 / D120	IND: 42.4 mm EJO: 54.1 mm 6 ALMBES G Y C	777314-0002	GT4504
TSM-CW-0553	MANOK / TRANSPORTER / GRABER 2.3 MANOK / ASTRAY M85 1.6 L	IND: 33.80 mm EJO: 46 mm 6 ALMBES G Y C	788555-0003	GT81446V
TSM-CW-0558	BMW X5 50 XE171 / TRON	IND: 41.60 mm EJO: 38 mm 5 ALMBES G Y C	728919-0001	M072355
TSM-CW-0603	POWER STROKE 6.9 / CHICA	IND: 56.80 mm EJO: 56 mm 7 ALMBES G Y C	742350-0005	GT372V2A
TSM-CW-0634	FORD RANGER / NAVISTAR PERKINS	IND: 38.70 mm EJO: 36 mm 6 ALMBES G Y C	702486-0010	GT42250V
TSM-CW-0736	S/6-DC4 / DETROIT / DIESEL TRUCK / PROTELA GRANDE / ALUMINO	IND: 57 mm EJO: 102.40 mm 6 ALMBES G Y C	712541-0003	GT4302
TSM-CW-0808	INTERNATIONAL	IND: 37.80 mm EJO: 50.10 mm SOLO 9 ALMBES	718134-0010	GT398
TSM-CW-0943	CATERPILLAR / DOOSAN	IND: 71 mm EJO: 102.4 mm 7 ALMBES G Y C	722356-0010	GT4302
TSM-CW-0999	HINO TRUCK	IND: 43.70 mm EJO: 45.30 mm 7 ALMBES G Y C	779144-0003	GT230XALV
TSM-CW-1016	NAVISTAR FORD TRUCK / 1805	IND: 50.20 mm EJO: 71 mm 6 ALMBES G Y C	734853-0003 728244-0001	GT351VA
TSM-CW-1209	MERCEDES BENZ OM / 80LA	IND: 42.30 mm EJO: 39.40 mm 6 ALMBES G Y C	451936-0004 725146-0001	GT239S
TSM-CW-1286-C	CATERPILLAR C12	IND: 42.4 mm EJO: 34 mm 6 ALMBES G Y C		GT4204
TSM-CW-1286-GT12-4	POWER STROKE 4.7 / DIE BUJES 2016 EN / RELANTE / FORD 1500 / F480-500 TRUCK / SUPER DUTY	IND: 54 mm EJO: 48 mm 6 ALMBES G Y C	HP 101103403 CHTA 786545 0015 786446-50139 786446-0011	GT379VALV S03296VALVA
TSM-CW-0017-0	CUMMINS 6CT PLATO / GRANDE	IND: 54 mm EJO: 50 mm 8 ALMBES G Y C	359927 359497	H1E
TSM-CW-0017-5	CUMMINS / IVECO / 800 VOLVO	IND: 57 mm EJO: 45 mm 8 ALMBES G Y C	359926	H1C / H1E
TSM-CW-0017-1	FLECHA GRANDE / CUMMINS 6CTA SERIE C	IND: 58 mm EJO: 45 mm 8 ALMBES G Y C	359942	H1C H1E
TSM-CW-0017-30	CUMMINS INDUSTRIAL / TRACTOR	IND: 58 mm EJO: 45 mm 8 ALMBES G Y C	359943	H1C H1E
TSM-CW-0017-11	CUMMINS VIRIOS	IND: 58 mm EJO: 45 mm 8 ALMBES G Y C	359944	H1C H1E
TSM-CW-0017-12	CUMMINS 6T / CHEVROLET / MILITARY TRUCK / DAF / TRACTOR / FORD	IND: 52 mm EJO: 45 mm 8 ALMBES G Y C	352317	H1C H1E

TSM-CW-0017-13	CUMMINS / MAN / IVECO / VOLVO	IND: 54 mm	309948	HTC
		EXD: 83 mm	305106	
TSM-CW-0017-15	IVECO	IND: 54 mm	309949	HX30
		EXD: 78 mm	303704	
TSM-CW-0017-20	CUMMINS ISX40V / SCANI/VOLVO	IND: 60 mm	309950	HX30
		EXD: 86 mm	304606	
TSM-CW-0106	HTSB HYSD R44 CUMMINS 200 SELEC PLUS	IND: 75.4 mm	307247	HTSB
		EXD: 100 mm	304606	
TSM-CW-0170	CUMMINS / KOMATSU	IND: 60mm	309950	HX30
		EXD: 80mm	304618	
TSM-CW-0184	ISX40V 14 ALABES PEGADUS 6L 70MM	IND: 60 mm	402379	HX40V
		EXD: 86 mm	7 ALABES G Y C	
TSM-CW-0212	CUMMINS IVECO / SCANI / VOLVO	IND: 46.70 mm	49180-04550	HX27
		EXD: 76 mm	7 ALABES G Y C	
TSM-CW-0213	IVECO VOLVO CUMMINS HTS100 CHICO	IND: 44 mm	302143	HTC
		EXD: 70 mm	7 ALABES G Y C	
TSM-CW-0214	CUMMINS ISX / DCEC / IVECO / VOLVO	IND: 71.00 mm	309720	HE300 / HE351
		EXD: 100 mm	8 ALABES G Y C	
TSM-CW-0214	CUMMINS / SCANI / IVECO / MAN	IND: 60 mm	304600	HX30
		EXD: 113 mm	8 ALABES G Y C	
TSM-CW-0426	CUMMINS VOLVO IVECO ISX 40 PLUS	IND: 60 mm	309329	HX30
		EXD: 80 mm	7 ALABES G Y C	
TSM-CW-0442	CUMMINS / MAN / PERKINS / SCANI / VOLVO	IND: 61.6 mm	302496	HX30
		EXD: 84 mm	8 ALABES G Y C	
TSM-CW-0528	CUMMINS / DCEC	IND: 44 mm	309949	HX30
		EXD: 70 mm	6 ALABES G Y C	
TSM-CW-0581	DODGE 8.9M CHICA 1G	IND: 56 mm	309948	HTSB
		EXD: 78 mm	7 ALABES G Y C	
TSM-CW-0588	CUMMINS ISX15 BILLET	IND: 44 mm	377261	HE41VE
		EXD: 70 mm	7 ALABES G Y C	
TSM-CW-0588-1	CUMMINS ISX15 ALUMINIO	IND: 44 mm	377261	HE41VE
		EXD: 70 mm	7 ALABES G Y C	
TSM-CW-0588-90	CUMMINS ISX GSK	IND: 67 mm	377261	HE41VE
		EXD: 90 mm	7 ALABES G Y C	
TSM-CW-0593	CUMMINS M11 / SCANI / VOLVO / DCEC	IND: 67 mm	303366	HX30
		EXD: 70 mm	7 ALABES G Y C	
TSM-CW-0593-1	CUMMINS M11 / SCANI / VOLVO DE BILLET	IND: 67 mm	303366	HE31VE
		EXD: 70 mm	7 ALABES G Y C	
TSM-CW-0596	CUMMINS ISX14322 / DODGE / SCANI / IVECO / BILLET	IND: 71 mm	402787	HX30
		EXD: 90 mm	7 ALABES G Y C	
TSM-CW-0597	CUMMINS ISX14322 / DODGE / SCANI / IVECO / BILLET	IND: 71 mm	402787	HX30
		EXD: 90 mm	7 ALABES G Y C	
TSM-CW-0627	CUMMINS	IND: 42.10 mm	306673	HX30
		EXD: 70 mm	303726	
TSM-CW-0713-1	RENAULT LAGUNA II 3.0V DCI	IND: 47 mm	49180-0782	HE21W
		EXD: 56-60 mm	6 ALABES G Y C	
TSM-CW-0788	CUMMINS / MAN / MERCEDES BENZ / SCANI / VOLVO	IND: 63.5 mm	302468	HX30
		EXD: 86 mm	8 ALABES G Y C	
TSM-CW-0820	CUMMINS ISX 07 450 HP BILLET	IND: 70 mm	404345	HE31VE
		EXD: 100 mm	8 ALABES G Y C	
TSM-CW-0823-2	CUMMINS ISX 07 DE ALUMINIO	IND: 70 mm	404345	HE31VE
		EXD: 100 mm	8 ALABES G Y C	
TSM-CW-0823	CUMMINS / VOLVO	IND: 58 mm	309817	HE300 / HE201
		EXD: 80 mm	7 ALABES G Y C	
TSM-CW-0823	CUMMINS ISB EPA10	IND: 54 mm	309819	HE300
		EXD: 76 mm	7 ALABES G Y C	
TSM-CW-0826-2	CUMMINS / DAF / PERKINS	IND: 50.39 mm	300325	HX30
		EXD: 86 mm	303113	
TSM-CW-1084-08	CUMMINS HT30 400	IND: 76 mm	302326	HTSB
		EXD: 100 mm	8 ALABES G Y C	
TSM-CW-1335	CUMMINS L18	IND: 63 mm	302813	HX30
		EXD: 86 mm	7 ALABES G Y C	
TSM-CW-HE300	BILLET / CUMMINS / MERCEDES TRUCK / IVECO / ISB / ISDE / EP40	HE300VE	306071-0014012	HE300VE
		HE31VE	378227	
TSM-CW-HT30-INT	CUMMINS HT30 INTERMEDIA	IND: 72.35 mm	302326	HTSB
		EXD: 100 mm	8 ALABES G Y C	
TSM-CW-1247	MERCEDES BENZ C-CLASS W204 / C-CLASS W205	IND: 34.9 mm	AL-0006	JHS
		EXD: 47 mm	AL-0006	
TSM-CW-074688	AUDI A1 / A6 / B3 / BILLET REVERSE	IND: 41.9 mm	061147028	JHS
		EXD: 54 mm	6 ALABES G Y C	
TSM-CW-0810	AUDI / VW / SEAT	IND: 45.1 mm	061147028	JHS
		EXD: 53.5 mm	6 ALABES G Y C	
TSM-CW-0603	VW PASSAT 2.0 F BILLET / AUDI A6 / A7 / SEAT ALUMINIO / SEAT COPRA 1.8 150 - 102 12 0000	IND: 35.00 mm	3304-123-2001	K23
		EXD: 50 mm	6 ALABES G Y C	
TSM-CW-0140	VW SEAT AUDI 1.5 TDI EUROVRN PLANA	IND: 33.50 mm	3443-123-2008	K23
		EXD: 46 mm	6 ALABES G Y C	
TSM-CW-0141	VW JETTA BILLET SEAT AUDI A3 1.8 180 HP / SEAT 2.0 18V	IND: 38 mm	3304-123-2013	K23
		EXD: 46 mm	6 ALABES G Y C	
TSM-CW-0166	MB S24 ALUMINIO	IND: 47.50 mm	5324-978-7106	K24
		EXD: 60 mm	7 ALABES G Y C	
TSM-CW-0166-10	MB S24 BILLET	IND: 47.50 mm	5324-978-7106	K24
		EXD: 60 mm	7 ALABES G Y C	
TSM-CW-0166-21	MB S24 TITANIO DE USO	IND: 47.50 mm	5324-978-7106	K24
		EXD: 60 mm	7 ALABES G Y C	
TSM-CW-0176	MB OMBA BILLET PASSENGER BILLET	IND: 44.20 mm	5316-710-0012	K16
		EXD: 55 mm	6 ALABES G Y C	
TSM-CW-0187	MB OMBA BILLET PASSENGER ALUMINIO	IND: 44.20 mm	5324-123-2032	K16
		EXD: 55 mm	6 ALABES G Y C	
TSM-CW-0223	SCHEMNI COPPERS / MB RECENTER / AUDI / SEAT / VW / L.B.	IND: 41 mm	5304-123-2036	K23
		EXD: 51-53.8 mm	6 ALABES G Y C	
TSM-CW-0247	MAZDA C30 SPEED 3 / ABELA 2.3 FORD FOCUS VOLVO	IND: 45.1 mm	5306-123-2006	K24
		EXD: 56-59.5 mm	6 ALABES G Y C	
TSM-CW-0321	MERCEDES BENZ OMBO ALUMINIO	IND: 54.7 mm	5327-123-2406	K27
		EXD: 83 mm	7 ALABES G Y C	
TSM-CW-0322	MB 906 ALUMINIO / BUS / INDUSTRIAL ENGINE	IND: 54.60 mm	5079-123-2002	K27
		EXD: 77 mm	7 ALABES G Y C	
TSM-CW-0330	MERCEDES BENZ SPRINTER BIFURBO	IND: 37.4 mm	501477	K23
		EXD: 46 mm	5 ALABES G Y C	
TSM-CW-0383	BMW / MINI COOPER 2 / PROSDER 200 207 R.C. PASSENGER CAR SYSTEM 1.6 120HP / AMOR 2.0	IND: 37.8 mm	5303-710-0027	K23
		EXD: 51-53.8 mm	6 ALABES G Y C	
TSM-CW-0507	MAZDA CX7 2.3	IND: 41.70 mm	5304-710-9004	K24
		EXD: 56-59.5 mm	6 ALABES G Y C	
TSM-CW-0526	AUDI TT / SEAT / COPRA 1.8T - SV	IND: 42 mm	5304-123-2203	K24
		EXD: 56 mm	6 ALABES G Y C	
TSM-CW-0580-1	MAN / DAF TRUCK, MTR	IND: 70 mm	5323-123-2021	K21
		EXD: 100 mm	7 ALABES G Y C	
TSM-CW-0718	MAXFORCE 5 INTERNACIONAL V275	IND: 44.50 mm	1000-978-0000	K16
		EXD: 62-65.5 mm	6 ALABES G Y C	
TSM-CW-0722	INTERNACIONAL V275	IND: 51.70 mm	1000-978-0000	K27
		EXD: 73.90 mm	7 ALABES G Y C	
TSM-CW-0784	K24 COPRA AUDI B3 2.0 TDI	IND: 46.40 mm	5304-710-0518	K24
		EXD: 56-59.5 mm	6 ALABES G Y C	
TSM-CW-0866	FORD 3.0 ECOBOOST	IND: 51-53.8 mm	5307-978-0154	K23
		EXD: 41 mm	6 ALABES G Y C	
TSM-CW-0905	VW CRAWLER AMOROK BIFURBO 2.0 TDI 200 BILLET	IND: 28.00 mm	1000-978-0000	K23
		EXD: 41-42 mm	SOLO 1 ALABES	
TSM-CW-K27	MERCEDES BENZ OMBO TITANIO DE USO	IND: 49.70 mm	5327-123-2406	K27
		EXD: 62.00 mm	7 ALABES G Y C	
TSM-CW-0699	K24 MAN L48 MEDIDAS LAS TORNES EN TALLER	ALUMINIO PARA MAXFORCE 4 CIL.		K24
TSM-CW-0699	K24 MAN TITANIO DE USO	IND: 60.00 mm	5327-123-2406	K24
		EXD: 71 mm	7 ALABES G Y C	



TSM-CW-0171	VOLVO	IND: 40 mm EJO: 50 mm 6 ALABES G Y C	49189-0380	TD04HL-18T
TSM-CW-0176	ISUZU 400 / NISSAN	IND: 48.50 mm EJO: 60.10 mm 6 ALABES G Y C	465436-0001	T20 GT2000
TSM-CW-0177	MB TRUCK / MASTER POWER	IND: 47.70 mm EJO: 70 mm 6 ALABES G Y C	400300-0016	T04S
TSM-CW-0222	ISUZU F10 / FORD TRACTOR 2.4 MTWISSHII	IND: 37.50 mm EJO: 40 mm 6 ALABES G Y C	49135-00100	TF030L-09T TD04L-11T
TSM-CW-0223	DEERE 10 / VOLVO IVECO / SANG CHRYSLER	IND: 37.50 mm EJO: 51 mm 6 ALABES G Y C	40277-00015	TD04L-14T
TSM-CW-0224	SANG / MTWISSHII / VOLVO / M&S	IND: 42 mm EJO: 50 mm 6 ALABES G Y C	49189-02300	TD04HL-15T
TSM-CW-0234	VW CRAWLER 2.5L	IND: 38.30 mm EJO: 51 mm 6 ALABES G Y C	49135-00010	TF030HL TD04L4 1130L V0
TSM-CW-0233	NISSAN PERKINS VOLVO	IND: 37.20 mm EJO: 40 mm 6 ALABES G Y C	419400-0014	T042
TSM-CW-0235	NISSAN / FORD / PERKINS	IND: 38.20 mm EJO: 50 mm 6 ALABES G Y C	446335-0012	T023 T250
TSM-CW-0403	MERCEDES BENZ RANITRE 110 10P / PLAUER	IND: 48.70 mm EJO: 70 mm 6 ALABES G Y C	405540-0013	T0P4
TSM-CW-0542	CATERPILLAR VOLVO SWEET / SANGCHON LEBARON NEW DORKE	IND: 40 mm EJO: 50 mm 6 ALABES G Y C	49183-1100	TD04L-10C TD04L-13C
TSM-CW-0543	DOOSER / MTWISSHII / VOLVO	IND: 41.50 mm EJO: 50 mm 6 ALABES G Y C	49177-01400	T004 130
TSM-CW-0577	ISUZU TRUCK	IND: 41 mm EJO: 50 mm 7 ALABES G Y C	49134-00300	TF06L
TSM-CW-0598	DEERE 60 DIESEL 3 12.7L GRANGE	IND: 75.4 mm EJO: 100.40 mm 6 ALABES G Y C	447407-0004	TF0100 T04S
TSM-CW-0612	DETRONIC DIESEL FORD Y MAS	IND: 58.40 mm EJO: 70 mm 6 ALABES G Y C		T04S
TSM-CW-0642	JOHN DEERE / PLAT / IVECO	IND: 48.5 mm EJO: 70 mm 6 ALABES G Y C	400179-0022	T040 / T041
TSM-CW-0604	MERCEDES BENZ JOHN DEERE Y MAS	IND: 50.00 mm EJO: 70 mm 6 ALABES G Y C	405540-0011	T04E
TSM-CW-9072R	PT CRUISER ST / HONDA 801 / GORO BEVES 2.4	IND: 43.40 mm EJO: 50 mm 6 ALABES G Y C	40277-00200	TD04HL-10T
TSM-CW-0685	CATERPILLAR EXCAVATOR 330 EXCAVADOR MOVING 330C	IND: 48.10 mm EJO: 60 mm 7 ALABES G Y C	49185-00700	TD06
TSM-CW-0687	M&S MEDINA KOMATSU VOLVO IVECO	IND: 45 mm EJO: 50 mm 6 ALABES G Y C	405540	T0400E
TSM-CW-0703	SCANIA TRUCK D104	IND: 50.00 mm EJO: 70.20 mm 6 ALABES G Y C	448040-0003	T04E
TSM-CW-0811	JOHN DEERE	IND: 51.50 mm EJO: 60 mm 6 ALABES G Y C	446279-0001	T03 T200
TSM-CW-0818	PERKINS PAGE 2 / 4 COMIN NORMA	IND: 43.7 mm EJO: 70 mm 6 ALABES G Y C	409179-0028	T0400E CHCA
TSM-CW-0831	BMW 120, 120L, 120R, 120S, 120L, 020L, 020R, 020S, 020L, 020R, 020S, 020L, 020R, 020S	IND: 40 mm EJO: 40 mm 6 ALABES G Y C	40477-02000 40477-02007	TD04L-LR6
TSM-CW-0803	JOHN DEERE	IND: 40 mm EJO: 50 mm 6 ALABES G Y C	446279-0002	T200
TSM-CW-0903	FORD NEW HOLLAND FORD / BMM 240 24L MOTO	IND: 40.20 mm EJO: 50 mm 5 ALABES G Y C	445347-0016	T023 T200
TSM-CW-1023	PERKINS / FORD / VW	IND: 52.00 mm EJO: 70.20 mm 6 ALABES G Y C	448040-0002	T04E
TSM-CW-1040	PERKINS 200 JOHN DEERE VOLVO FORD NISSAN TRACTOR 200	IND: 41.00 mm EJO: 45.10 mm 6 ALABES G Y C	445340-0003	T200
TSM-CW-1108R	BUICK GMC CRUIZE BELLET	IND: 33.00 mm EJO: 40 mm 6 ALABES G Y C	49180-04020	T003
TSM-CW-1121	NISSAN JAKE 1.6 MFI100 KIA BONGDO	IND: 38.20 mm EJO: 51 mm 6 ALABES G Y C	49335-00050	TF030HL-13
TSM-CW-1204	RENAULT LAGUNA II 3.0V DCI	IND: 47 mm EJO: 50 mm 6 ALABES G Y C	49189-07002	TD04HLV0
TSM-CW-1207	CATERPILLAR	IND: 40.3 mm EJO: 50 mm	409132-0002	T001 / 0L01
TSM-CW-1314	WALKESHA	IND: 72.40 mm EJO: 100.40 mm 6 ALABES G Y C	441820-0003	T07121
TSM-CW-1400R	BILLET BMW PASSENGER CMC 2.0T BMW 320I B-08020	IND: 44.50 mm EJO: 50 mm 6 ALABES G Y C		T004
TSM-CW-1306-001	CATERPILLAR CAT. 001	IND: 62.53 mm EJO: 80.30 mm	409302-0001 409179-0011 007200	T1230
TSM-CW-0015	SCANIA Y MAS	IND: 50.40 mm EJO: 70 mm 6 ALABES G Y C	317720	4L0K
TSM-CW-0117	CAT NAVSTAR	IND: 50 mm EJO: 50 mm 6 ALABES G Y C	102957	4LE F-402
TSM-CW-0147	CAT Y MAS	IND: 64.70 mm EJO: 70 mm 7 ALABES G Y C	010910	4L02
TSM-CW-0207	CAT	IND: 42.40 mm EJO: 50 mm 6 ALABES G Y C	150608	4LE 4LP
TSM-CW-0710	CAT 3306	IND: 50.20 mm EJO: 70.20 mm 6 ALABES G Y C	150824	3LM
TSM-CW-1040	ELIMINE DORHANA VOLVO Y MAS	IND: 44.50 mm EJO: 50 mm 6 ALABES G Y C	305270	4L0K 4L0K
TSM-CW-1142	CAT 3306	IND: 50.50 mm EJO: 70.20 mm SOLO 10 ALABES	100904	3LM